

BUTLER

Design by Kris Van Puyvelde



BUTLER SPECIFICATIONS

STANDARD / LIMITED / ON REQUEST

SIDE TABLE	
REF:	BTL 60PLT...
WEIGHT:	C: 20 kg
INFO:	ASSEMBLING NEEDED



SIDE TABLE	
REF:	BTL 40TL...
WEIGHT:	C: 8,1 kg W: 5,4 kg V: 8 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL				
		WR	PB	S	BR	A
CERAMIC	WUM	BTL 60PLT CWRWUM	BTL 60PLT CPBWUM	BTL 60PLT CSWUM	BTL 60PLT CBRWUM	BTL 60PLT CAWUM
	BS	BTL 60PLT CWRBS	BTL 60PLT CPBBS	BTL 60PLT CSBS	BTL 60PLT CBRBS	BTL 60PLT CABS
	CD	BTL 60PLT CWRCD	BTL 60PLT CPBCD	BTL 60PLT CSCD	BTL 60PLT CBRCD	BTL 60PLT CACD
	TR	BTL 60PLT CWRTR	BTL 60PLT CPBTR	BTL 60PLT CSTR	BTL 60PLT CBRTR	BTL 60PLT CATR
	TG	BTL 60PLT CWR TG	BTL 60PLT CPB TG	BTL 60PLT CSTG	BTL 60PLT CBR TG	BTL 60PLT CATG
	CL	BTL 60PLT CWRCL	BTL 60PLT CPBCL	BTL 60PLT CSCL	BTL 60PLT CBRCL	BTL 60PLT CACL
	PG	BTL 60PLT CWRPG	BTL 60PLT CPBPG	BTL 60PLT CSPG	BTL 60PLT CBRPG	BTL 60PLT CAPG
	TS	BTL 60PLT CWR TS	BTL 60PLT CPB TS	BTL 60PLT CSTS	BTL 60PLT CBR TS	BTL 60PLT CATS
	TM	BTL 60PLT CWR TM	BTL 60PLT CPB TM	BTL 60PLT CSTM	BTL 60PLT CBR TM	BTL 60PLT CATM
	NM	BTL 60PLT CWR NM	BTL 60PLT CPB NM	BTL 60PLT CSNM	BTL 60PLT CBR NM	BTL 60PLT CANM
	ZUM	BTL 60PLT CWR ZUM	BTL 60PLT CPB ZUM	BTL 60PLT CSZUM	BTL 60PLT CBR ZUM	BTL 60PLT CAZUM

		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 40TL CWRWUM	BTL 40TL CPBWUM	BTL 40TL CSWUM	BTL 40TL CBRWUM	BTL 40TL CAWUM	
	BS	BTL 40TL CWRBS	BTL 40TL CPBBS	BTL 40TL CSBS	BTL 40TL CBRBS	BTL 40TL CABS	
	CD	BTL 40TL CWRCD	BTL 40TL CPBCD	BTL 40TL CSCD	BTL 40TL CBRCD	BTL 40TL CACD	
	TR	BTL 40TL CWRTR	BTL 40TL CPBTR	BTL 40TL CSTR	BTL 40TL CBRTR	BTL 40TL CATR	
	TG	BTL 40TL CWR TG	BTL 40TL CPB TG	BTL 40TL CSTG	BTL 40TL CBR TG	BTL 40TL CATG	
	CL	BTL 40TL CWRCL	BTL 40TL CPBCL	BTL 40TL CSCL	BTL 40TL CBRCL	BTL 40TL CACL	
	PG	BTL 40TL CWRPG	BTL 40TL CPBPG	BTL 40TL CSPG	BTL 40TL CBRPG	BTL 40TL CAPG	
	TS	BTL 40TL CWR TS	BTL 40TL CPB TS	BTL 40TL CSTS	BTL 40TL CBR TS	BTL 40TL CATS	
	TM	BTL 40TL CWR TM	BTL 40TL CPB TM	BTL 40TL CSTM	BTL 40TL CBR TM	BTL 40TL CATM	
	NM	BTL 40TL CWR NM	BTL 40TL CPB NM	BTL 40TL CSNM	BTL 40TL CBR NM	BTL 40TL CANM	
	ZUM	BTL 40TL CWR ZUM	BTL 40TL CPB ZUM	BTL 40TL CSZUM	BTL 40TL CBR ZUM	BTL 40TL CAZUM	
	TEAK	W	BTL 40TL WWR	BTL 40TL WPB	BTL 40TL WS	BTL 40TL WBR	BTL 40TL WA
		PE	BTL 40TL VWRPE	BTL 40TL VPBPE	BTL 40TL VSPE	BTL 40TL VBRPE	BTL 40TL VAPE
JA		BTL 40TL VWRJA	BTL 40TL VPBJA	BTL 40TL VSJA	BTL 40TL VBRJA	BTL 40TL VAJA	
MO		BTL 40TL VWRMO	BTL 40TL VPBMO	BTL 40TL VSMO	BTL 40TL VBRMO	BTL 40TL VAMO	
DU		BTL 40TL VWRDU	BTL 40TL VPBDU	BTL 40TL VSDU	BTL 40TL VBRDU	BTL 40TL VADU	
LA		BTL 40TL VWR LA	BTL 40TL VPBLA	BTL 40TL VSLA	BTL 40TL VBR LA	BTL 40TL VALA	
SL		BTL 40TL VWR SL	BTL 40TL VPBSL	BTL 40TL VSSL	BTL 40TL VBR SL	BTL 40TL VASL	

BUTLER SPECIFICATIONS

SIDE TABLE	
REF:	BTL 60T...
WEIGHT:	C: 22,3 kg W: 10,5 kg V: 22,2 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 60T CWRWUM	BTL 60T CPBWUM	BTL 60T CSWUM	BTL 60T CBRWUM	BTL 60T CAWUM	
	BS	BTL 60T CWRBS	BTL 60T CPBBS	BTL 60T CSBS	BTL 60T CBRBS	BTL 60T CABS	
	CD	BTL 60T CWRCD	BTL 60T CPBCD	BTL 60T CSCD	BTL 60T CBRCD	BTL 60T CACD	
	TR	BTL 60T CWRTR	BTL 60T CPBTR	BTL 60T CSTR	BTL 60T CBRTR	BTL 60T CATR	
	TG	BTL 60T CWR TG	BTL 60T CPBTG	BTL 60T CSTG	BTL 60T CBR TG	BTL 60T CATG	
	CL	BTL 60T CWRCL	BTL 60T CPBCL	BTL 60T CSCL	BTL 60T CBRCL	BTL 60T CACL	
	PG	BTL 60T CWRPG	BTL 60T CPBPG	BTL 60T CSPG	BTL 60T CBRPG	BTL 60T CAPG	
	TS	BTL 60T CWR TS	BTL 60T CPB TS	BTL 60T CSTS	BTL 60T CBR TS	BTL 60T CATS	
	TM	BTL 60T CWR TM	BTL 60T CPB TM	BTL 60T CSTM	BTL 60T CBR TM	BTL 60T CATM	
	NM	BTL 60T CWR NM	BTL 60T CPB NM	BTL 60T CSNM	BTL 60T CBR NM	BTL 60T CANM	
	ZUM	BTL 60T CWR ZUM	BTL 60T CPB ZUM	BTL 60T CSZUM	BTL 60T CBR ZUM	BTL 60T CAZUM	
	TEAK	W	BTL 60T WWR	BTL 60T WPB	BTL 60T WS	BTL 60T WBR	BTL 60T WA
		PE	BTL 60T VWRPE	BTL 60T VPBPE	BTL 60T VSPE	BTL 60T VBRPE	BTL 60T VAPE
ENAMELED LAVA STONE	JA	BTL 60T VWRJA	BTL 60T VPBJA	BTL 60T VSJA	BTL 60T VBRJA	BTL 60T VAJA	
	MO	BTL 60T VWRMO	BTL 60T VPBMO	BTL 60T VSMO	BTL 60T VBRMO	BTL 60T VAMO	
	DU	BTL 60T VWRDU	BTL 60T VPBDU	BTL 60T VSDU	BTL 60T VBRDU	BTL 60T VADU	
	LA	BTL 60T VWR LA	BTL 60T VPBLA	BTL 60T VSLA	BTL 60T VBR LA	BTL 60T VALA	
	SL	BTL 60T VWR SL	BTL 60T VPBSL	BTL 60T VSSL	BTL 60T VBR SL	BTL 60T VASL	

SIDE TABLE	
REF:	BTL 75TH...
WEIGHT:	C: 27 kg W: 18 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 75TH CWRWUM	BTL 75TH CPBWUM	BTL 75TH CSWUM	BTL 75TH CBRWUM	BTL 75TH CAWUM	
	BS	BTL 75TH CWRBS	BTL 75TH CPBBS	BTL 75TH CSBS	BTL 75TH CBRBS	BTL 75TH CABS	
	CD	BTL 75TH CWRCD	BTL 75TH CPBCD	BTL 75TH CSCD	BTL 75TH CBRCD	BTL 75TH CACD	
	TR	BTL 75TH CWRTR	BTL 75TH CPBTR	BTL 75TH CSTR	BTL 75TH CBRTR	BTL 75TH CATR	
	TG	BTL 75TH CWR TG	BTL 75TH CPBTG	BTL 75TH CSTG	BTL 75TH CBR TG	BTL 75TH CATG	
	CL	BTL 75TH CWRCL	BTL 75TH CPBCL	BTL 75TH CSCL	BTL 75TH CBRCL	BTL 75TH CACL	
	PG	BTL 75TH CWRPG	BTL 75TH CPBPG	BTL 75TH CSPG	BTL 75TH CBRPG	BTL 75TH CAPG	
	TS	BTL 75TH CWR TS	BTL 75TH CPB TS	BTL 75TH CSTS	BTL 75TH CBR TS	BTL 75TH CATS	
	TM	BTL 75TH CWR TM	BTL 75TH CPB TM	BTL 75TH CSTM	BTL 75TH CBR TM	BTL 75TH CATM	
	NM	BTL 75TH CWR NM	BTL 75TH CPB NM	BTL 75TH CSNM	BTL 75TH CBR NM	BTL 75TH CANM	
	ZUM	BTL 75TH CWR ZUM	BTL 75TH CPB ZUM	BTL 75TH CSZUM	BTL 75TH CBR ZUM	BTL 75TH CAZUM	
	TEAK	W	BTL 75TH WWR	BTL 75TH WPB	BTL 75TH WS	BTL 75TH WBR	BTL 75TH WA

BUTLER SPECIFICATIONS

STANDARD / LIMITED / ON REQUEST

SIDE TABLE	
REF:	BTL 90TXH...
WEIGHT:	C: 37,1 kg W: 22,8 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 90TXH CWRWUM	BTL 90TXH CPBWUM	BTL 90TXH CSWUM	BTL 90TXH CBRWUM	BTL 90TXH CAWUM	
	BS	BTL 90TXH CWRBS	BTL 90TXH CPBBS	BTL 90TXH CSBS	BTL 90TXH CBRBS	BTL 90TXH CABS	
	CD	BTL 90TXH CWRCD	BTL 90TXH CPBCD	BTL 90TXH CSCD	BTL 90TXH CBRCD	BTL 90TXH CACD	
	TR	BTL 90TXH CWRTR	BTL 90TXH CPBTR	BTL 90TXH CSTR	BTL 90TXH CBRTR	BTL 90TXH CATR	
	TG	BTL 90TXH CWR TG	BTL 90TXH CPB TG	BTL 90TXH CSTG	BTL 90TXH CBR TG	BTL 90TXH CATG	
	CL	BTL 90TXH CWRCL	BTL 90TXH CPBCL	BTL 90TXH CSCCL	BTL 90TXH CBRCL	BTL 90TXH CACL	
	PG	BTL 90TXH CWRPG	BTL 90TXH CPBPG	BTL 90TXH CSPG	BTL 90TXH CBRPG	BTL 90TXH CAPG	
	TS	BTL 90TXH CWRTS	BTL 90TXH CPBTS	BTL 90TXH CSTS	BTL 90TXH CBR TS	BTL 90TXH CATS	
	TM	BTL 90TXH CWRTM	BTL 90TXH CPBTM	BTL 90TXH CSTM	BTL 90TXH CBR TM	BTL 90TXH CATM	
	NM	BTL 90TXH CWRNM	BTL 90TXH CPBNM	BTL 90TXH CSNM	BTL 90TXH CBRNM	BTL 90TXH CANM	
	ZUM	BTL 90TXH CWRZUM	BTL 90TXH CPBZUM	BTL 90TXH CSZUM	BTL 90TXH CBRZUM	BTL 90TXH CAZUM	
	TEAK	W	BTL 90TXH WWR	BTL 90TXH WPB	BTL 90TXH WS	BTL 90TXH WBR	BTL 90TXH WA

SIDE TABLE	
REF:	BTL40TXH...
WEIGHT:	C: 8,6 kg W: 7 kg V: 12 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 40TXH CWRWUM	BTL 40TXH CPBWUM	BTL 40TXH CSWUM	BTL 40TXH CBRWUM	BTL 40TXH CAWUM	
	BS	BTL 40TXH CWRBS	BTL 40TXH CPBBS	BTL 40TXH CSBS	BTL 40TXH CBRBS	BTL 40TXH CABS	
	CD	BTL 40TXH CWRCD	BTL 40TXH CPBCD	BTL 40TXH CSCD	BTL 40TXH CBRCD	BTL 40TXH CACD	
	TR	BTL 40TXH CWRTR	BTL 40TXH CPBTR	BTL 40TXH CSTR	BTL 40TXH CBRTR	BTL 40TXH CATR	
	TG	BTL 40TXH CWR TG	BTL 40TXH CPB TG	BTL 40TXH CSTG	BTL 40TXH CBR TG	BTL 40TXH CATG	
	CL	BTL 40TXH CWRCL	BTL 40TXH CPBCL	BTL 40TXH CSCCL	BTL 40TXH CBRCL	BTL 40TXH CACL	
	PG	BTL 40TXH CWRPG	BTL 40TXH CPBPG	BTL 40TXH CSPG	BTL 40TXH CBRPG	BTL 40TXH CAPG	
	TS	BTL 40TXH CWRTS	BTL 40TXH CPBTS	BTL 40TXH CSTS	BTL 40TXH CBR TS	BTL 40TXH CATS	
	TM	BTL 40TXH CWRTM	BTL 40TXH CPBTM	BTL 40TXH CSTM	BTL 40TXH CBR TM	BTL 40TXH CATM	
	NM	BTL 40TXH CWRNM	BTL 40TXH CPBNM	BTL 40TXH CSNM	BTL 40TXH CBRNM	BTL 40TXH CANM	
	ZUM	BTL 40TXH CWRZUM	BTL 40TXH CPBZUM	BTL 40TXH CSZUM	BTL 40TXH CBRZUM	BTL 40TXH CAZUM	
	ENAMELED LAVA STONE	W	BTL 40TXH WWR	BTL 40TXH WPB	BTL 40TXH WS	BTL 40TXH WBR	BTL 40TXH WA
		PE	BTL 40TXH VWRPE	BTL 40TXH VPBPE	BTL 40TXH VSPE	BTL 40TXH VBRPE	BTL 40TXH VAPE
JA		BTL 40TXH VWRJA	BTL 40TXH VPBJA	BTL 40TXH VSJA	BTL 40TXH VBRJA	BTL 40TXH VAJA	
MO		BTL 40TXH VWRMO	BTL 40TXH VPBMO	BTL 40TXH VS MO	BTL 40TXH VBRMO	BTL 40TXH VAMO	
DU		BTL 40TXH VWRDU	BTL 40TXH VPBDU	BTL 40TXH VS DU	BTL 40TXH VBRDU	BTL 40TXH VADU	
	LA	BTL 40TXH VWR LA	BTL 40TXH VPBLA	BTL 40TXH VS LA	BTL 40TXH VBR LA	BTL 40TXH VALA	
	SL	BTL 40TXH VWRSL	BTL 40TXH VPBSL	BTL 40TXH VS SL	BTL 40TXH VBRSL	BTL 40TXH VASL	

BUTLER SPECIFICATIONS

DINING TABLE	
REF:	BTL 90RSD...
WEIGHT:	C: 40 kg W: 31 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 90RSD CWRWUM	BTL 90RSD CPBWUM	BTL 90RSD CSWUM	BTL 90RSD CBRWUM	BTL 90RSD CAWUM	
	BS	BTL 90RSD CWRBS	BTL 90RSD CPBBS	BTL 90RSD CSBS	BTL 90RSD CBRBS	BTL 90RSD CABS	
	CD	BTL 90RSD CWRCD	BTL 90RSD CPBCD	BTL 90RSD CSCD	BTL 90RSD CBRCD	BTL 90RSD CACD	
	TR	BTL 90RSD CWRTR	BTL 90RSD CPBTR	BTL 90RSD CSTR	BTL 90RSD CBRTR	BTL 90RSD CATR	
	TG	BTL 90RSD CWR TG	BTL 90RSD CPB TG	BTL 90RSD CSTG	BTL 90RSD CBR TG	BTL 90RSD CATG	
	CL	BTL 90RSD CWRCL	BTL 90RSD CPBCL	BTL 90RSD CSCL	BTL 90RSD CBRCL	BTL 90RSD CACL	
	PG	BTL 90RSD CWRPG	BTL 90RSD CPBPG	BTL 90RSD CSPG	BTL 90RSD CBRPG	BTL 90RSD CAPG	
	TS	BTL 90RSD CWR TS	BTL 90RSD CPB TS	BTL 90RSD CSTS	BTL 90RSD CBR TS	BTL 90RSD CATS	
	TM	BTL 90RSD CWR TM	BTL 90RSD CPB TM	BTL 90RSD CSTM	BTL 90RSD CBR TM	BTL 90RSD CATM	
	NM	BTL 90RSD CWR NM	BTL 90RSD CPB NM	BTL 90RSD CSNM	BTL 90RSD CBR NM	BTL 90RSD CANM	
	ZUM	BTL 90RSD CWR ZUM	BTL 90RSD CPB ZUM	BTL 90RSD CSZUM	BTL 90RSD CBR ZUM	BTL 90RSD CAZUM	
	TEAK	W	BTL 90RSD WWR	BTL 90RSD WPB	BTL 90RSD WS	BTL 90RSD WBR	BTL 90RSD WA

LOW DINING TABLE	
REF:	BTL 90RLD...
WEIGHT:	C: 40 kg W: 31 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 90RLD CWRWUM	BTL 90RLD CPBWUM	BTL 90RLD CSWUM	BTL 90RLD CBRWUM	BTL 90RLD CAWUM	
	BS	BTL 90RLD CWRBS	BTL 90RLD CPBBS	BTL 90RLD CSBS	BTL 90RLD CBRBS	BTL 90RLD CABS	
	CD	BTL 90RLD CWRCD	BTL 90RLD CPBCD	BTL 90RLD CSCD	BTL 90RLD CBRCD	BTL 90RLD CACD	
	TR	BTL 90RLD CWRTR	BTL 90RLD CPBTR	BTL 90RLD CSTR	BTL 90RLD CBRTR	BTL 90RLD CATR	
	TG	BTL 90RLD CWR TG	BTL 90RLD CPB TG	BTL 90RLD CSTG	BTL 90RLD CBR TG	BTL 90RLD CATG	
	CL	BTL 90RLD CWRCL	BTL 90RLD CPBCL	BTL 90RLD CSCL	BTL 90RLD CBRCL	BTL 90RLD CACL	
	PG	BTL 90RLD CWRPG	BTL 90RLD CPBPG	BTL 90RLD CSPG	BTL 90RLD CBRPG	BTL 90RLD CAPG	
	TS	BTL 90RLD CWR TS	BTL 90RLD CPB TS	BTL 90RLD CSTS	BTL 90RLD CBR TS	BTL 90RLD CATS	
	TM	BTL 90RLD CWR TM	BTL 90RLD CPB TM	BTL 90RLD CSTM	BTL 90RLD CBR TM	BTL 90RLD CATM	
	NM	BTL 90RLD CWR NM	BTL 90RLD CPB NM	BTL 90RLD CSNM	BTL 90RLD CBR NM	BTL 90RLD CANM	
	ZUM	BTL 90RLD CWR ZUM	BTL 90RLD CPB ZUM	BTL 90RLD CSZUM	BTL 90RLD CBR ZUM	BTL 90RLD CAZUM	
	TEAK	W	BTL 90RLD WWR	BTL 90RLD WPB	BTL 90RLD WS	BTL 90RLD WBR	BTL 90RLD WA

BUTLER SPECIFICATIONS

STANDARD / LIMITED / ON REQUEST

DINING TABLE	
REF:	BTL 120RSD...
WEIGHT:	C: 55,2 kg W: 41,3 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 120RSD CWRWUM	BTL 120RSD CPBWUM	BTL 120RSD CSWUM	BTL 120RSD CBRWUM	BTL 120RSD CAWUM	
	BS	BTL 120RSD CWRBS	BTL 120RSD CPBBS	BTL 120RSD CSBS	BTL 120RSD CBRBS	BTL 120RSD CABS	
	CD	BTL 120RSD CWRCD	BTL 120RSD CPBCD	BTL 120RSD CSCD	BTL 120RSD CBRCD	BTL 120RSD CACD	
	TR	BTL 120RSD CWRTR	BTL 120RSD CPBTR	BTL 120RSD CSTR	BTL 120RSD CBRTR	BTL 120RSD CATR	
	CL	BTL 120RSD CWRCL	BTL 120RSD CPBCL	BTL 120RSD CSCL	BTL 120RSD CBRCL	BTL 120RSD CACL	
	PG	BTL 120RSD CWRPG	BTL 120RSD CPBPG	BTL 120RSD CSPG	BTL 120RSD CBRPG	BTL 120RSD CAPG	
	TS	BTL 120RSD CWRTS	BTL 120RSD CPBTS	BTL 120RSD CSTS	BTL 120RSD CBRTS	BTL 120RSD CATS	
	TM	BTL 120RSD CWRTM	BTL 120RSD CPBTM	BTL 120RSD CSTM	BTL 120RSD CBRTM	BTL 120RSD CATM	
	NM	BTL 120RSD CWRNM	BTL 120RSD CPBNM	BTL 120RSD CSNM	BTL 120RSD CBRNM	BTL 120RSD CANM	
	ZUM	BTL 120RSD CWRZUM	BTL 120RSD CPBZUM	BTL 120RSD CSZUM	BTL 120RSD CBRZUM	BTL 120RSD CAZUM	
	TEAK	W	BTL 120RSD WWR	BTL 120RSD WPB	BTL 120RSD WS	BTL 120RSD WBR	BTL 120RSD WA

LOW DINING TABLE	
REF:	BTL 120RLD...
WEIGHT:	C: 54,8 kg W: 40,9 kg
INFO:	ASSEMBLING NEEDED



		COATED STAINLESS STEEL					
		WR	PB	S	BR	A	
CERAMIC	WUM	BTL 120RLD CWRWUM	BTL 120RLD CPBWUM	BTL 120RLD CSWUM	BTL 120RLD CBRWUM	BTL 120RLD CAWUM	
	BS	BTL 120RLD CWRBS	BTL 120RLD CPBBS	BTL 120RLD CSBS	BTL 120RLD CBRBS	BTL 120RLD CABS	
	CD	BTL 120RLD CWRCD	BTL 120RLD CPBCD	BTL 120RLD CSCD	BTL 120RLD CBRCD	BTL 120RLD CACD	
	TR	BTL 120RLD CWRTR	BTL 120RLD CPBTR	BTL 120RLD CSTR	BTL 120RLD CBRTR	BTL 120RLD CATR	
	CL	BTL 120RLD CWRCL	BTL 120RLD CPBCL	BTL 120RLD CSCL	BTL 120RLD CBRCL	BTL 120RLD CACL	
	PG	BTL 120RLD CWRPG	BTL 120RLD CPBPG	BTL 120RLD CSPG	BTL 120RLD CBRPG	BTL 120RLD CAPG	
	TS	BTL 120RLD CWRTS	BTL 120RLD CPBTS	BTL 120RLD CSTS	BTL 120RLD CBRTS	BTL 120RLD CATS	
	TM	BTL 120RLD CWRTM	BTL 120RLD CPBTM	BTL 120RLD CSTM	BTL 120RLD CBRTM	BTL 120RLD CATM	
	NM	BTL 120RLD CWRNM	BTL 120RLD CPBNM	BTL 120RLD CSNM	BTL 120RLD CBRNM	BTL 120RLD CANM	
	ZUM	BTL 120RLD CWRZUM	BTL 120RLD CPBZUM	BTL 120RLD CSZUM	BTL 120RLD CBRZUM	BTL 120RLD CAZUM	
	TEAK	W	BTL 120RLD WWR	BTL 120RLD WPB	BTL 120RLD WS	BTL 120RLD WBR	BTL 120RLD WA